



UNISER
INDUSTRIES PVT. LTD.

OUTDOOR SERIES



UNISER


Outdoor Series



1WAY



2WAY




4WAY

Model	Wattage	CCT	Beam Angle	CRI	IP Rating	Body Color	Material
UHLS-OD-1 WAY	07W	3K	40°	80	IP65	BK	ALUMINIUM
UHLS-OD-2 WAY	07W	3K	40°	80	IP65	BK	ALUMINIUM
UHLS-OD-4 WAY	07W	3K	40°	80	IP65	BK	ALUMINIUM

UNISER

Outdoor Series



Model	Wattage	IP Rating	Body Colour
UHLS-BR-1WAY	3W	IP65	SS FINISH
UHLS-BR-2WAY	3W	IP65	SS FINISH
UHLS-BR-4WAY	3W	IP65	SS FINISH

UNISER

Outdoor Series




IP65




Model	Wattage	CCT	IP Rating	Body Colour
UHLS-5W WALKOVER	5W	WW & BLUE	IP65	SS FINISH

UNISER

Outdoor Series

POWERED BY CREE



Model	Wattage	CCT	Beam Angle	CRI	Lumens	Body Color	Material
UHLS-OD-04-1404 SPIKE	04W	3000K	38°	80	440LM	BK	ALUMINIUM
UHLS-OD-07-1404 SPIKE	07W	3000K	38°	80	770LM	BK	ALUMINIUM
UHLS-OD-14-1404 SPIKE	14W	3000K	38°	80	1540LM	BK	ALUMINIUM

UNISER

Outdoor Series

POWERED BY CREE




Model	Wattage	CCT	Beam Angle	CRI	Lumens	Body Color	Material
UHLS-OD-04-1404 WALL BASE	04W	3000K	38°	80	440LM	BK	ALUMINIUM
UHLS-OD-07-1404 WALL BASE	07W	3000K	38°	80	770LM	BK	ALUMINIUM
UHLS-OD-14-1404 WALL BASE	14W	3000K	38°	80	1540LM	BK	ALUMINIUM

UNISER

Outdoor Series

POWERED BY CREE



Model	Wattage	CCT	Beam Angle	CRI	Lumens	Body Color	Material
UHLS-OD-04-1404 TREE STRAP	04W	3000K	38°	80	440LM	BK	ALUMINIUM
UHLS-OD-07-1404 TREE STRAP	07W	3000K	38°	80	770LM	BK	ALUMINIUM
UHLS-OD-14-1404 TREE STRAP	14W	3000K	38°	80	1540LM	BK	ALUMINIUM

UNISER

Outdoor Series

POWERED BY BRIDGELUX



Model	Wattage	CCT	Beam Angle	CRI	Lumens	Body Color	Material
UHLS-07-417 GARDEN	7W	3000K	38°	80	770LM	BK	ALUMINIUM

UNISER

Outdoor Series

POWERED BY BRIDGELUX



Model	Wattage	CCT	Beam Angle	CRI	Lumens	Body Color	Material
UHLS-07-414 GARDEN	07W	3000K	38°	80	770LM	BK	ALUMINIUM

UNISER

Outdoor Series



COLOURS :

- WH
- WW
- Red
- Green
- Blue

Model	Wattage	IP Rating	Body Colour
UHLS-208	5W	IP 65	BK

UNISER

Outdoor Series



COLOURS :

- WH
- WW
- Red
- Green
- Blue

Model	Wattage	IP Rating	Body Colour
UHLS-308	9W	IP 65	BK

UNISER

POWERED BY CREE




Model	Wattage	CCT	Body Colour	Beam Angle
UHLS-04-1404 GARDEN	4W	-3000K	GREY	-36°
UHLS-07-1404 GARDEN	7W	-3000K	GREY	-36°
UHLS-14-1404 GARDEN	14W	-3000K	GREY	-36°

Outdoor Series

UNISER

POWERED BY CREE 



Model	Power	Luminous Flux	Colour Temp	Emitting Angle	Ra	SDCM
UHLS-OD-14W Garden	14W	810 lm	3000K	23°	≥80	<4

UNISER

Outdoor Series

POWERED BY **CREE** ⇄

DRIVEN BY **DONE**



8W


12W

Model	Wattage	CCT	Beam Angle	CRI	Lumens	Body Color	Material
UHLSOD-8-114	8W	3000K	38°	80	880LM	BK	ALUMINIUM
UHLSOD-12-114	12W	3000K	38°	80	1320LM	BK	ALUMINIUM

UNISER

Outdoor Series

POWERED BY CREE




Model	Wattage	CCT	IP Rating	CRI	Lumens	Body Color	Material
UHLS- 14-3002 GARDEN LIGHT	14W	3000K	IP65	80	1540LM	BK	ALUMINIUM

UNISER

Outdoor Series

Solar Powered Garden Light



Model	Wattage	CCT	Lighting Time	Working Temp	IP Rating	Beam Angle	CRI	Lumens	Body Color
UHLS SOD 441	5W	3000K	8-13Hours	-40-50°C	IP65	60°	80	400LM	BK

Outdoor Series

UNISER


POWERED BY **CREE** 



Model	Wattage	CCT	Body Colour
UHLS-025 SF/3W	3W	3K	BK/PKW

UNISER

Outdoor Light



Model	Wattage	CCT	IP Rating	Body Colour	Sensor
UHLS-3W-575 FOOTLIGHT	3W	3000 (WW)	IP65	BK/WH	MOTION & DAY-NIGHT

UNISER

Outdoor Series



Model	Power	IP Rating	Body Colour
UHLS-525SF/3W	3W	IP65	PKW/BK
UHLS-525SF/6W	6W	IP65	PKW/BK

UNISER

Outdoor Series



Model	Power	IP Rating	Body Colour
UHLS-OD 201/2	2W	IP65	Grey
UHLS-OD 201/4	4W	IP65	Grey


UNISER

Outdoor Series



Model	Power	IP Rating	Body Colour
UHLS-OD 4747	3W	IP54	BK

UNISER



Model	IP Rating	CCT	Body Colour
UHLS-BL-3236-600	7W	3000K	BK

Outdoor Series

UNISER

POWERED BY CREE



Model	Power	Luminous Flux	Colour Temp	Emitting Angle	Ra	SDCM
UHLS-OD-2391-600	7W	566 lm	3000K	21°	≥80	<4

Outdoor Series

UNISER

POWERED BY  EDISON



Model	Power	Colour Temp	Body Colour	IP Rating	Chip
UHLS-BL-7198	7W	3000K	Matte Black	65	EDISON

Outdoor Series

UNISER

POWERED BY CREE



Model	Power	Luminous Flux	Colour Temp	Emitting Angle	Ra	SDCM
UHLS-OD-2211-900	7W	337 lm	3000K	99°	≥80	<4

Outdoor Series

UNISER

POWERED BY  EDISON



Model	Power	Colour Temp	Body Colour	IP Rating	Chip
UHLS-BL-1002	10W	3000K	Matte Black	65	EDISON

Outdoor Series

UNISER

POWERED BY  EDISON




Model	Power	Colour Temp	Body Colour	IP Rating	Chip
UHLS-BL-1003	10W	3000K	Matte Black	65	EDISON

Outdoor Series

UNISER

POWERED BY CREE 



Model	Power	Luminous Flux	Colour Temp	Emitting Angle	Ra	SDCM
UHLS-OD-2171	7W	550 lm	3000K	106°	≥80	<5

Outdoor Series

UNISER



Model	Wattage	IP Rating	Body Colour	CCT	Dimensions
UHLS-OD 201802	9W	IP 65	BK	3K	100MM (H) 110 MM (D)

UNISER

Outdoor Series



Model	Wattage	IP Rating	Body Colour	CCT	Dimensions (h*w*l)
UHLS-OD 201803	9W	IP 65	BK	3K	100MM X 110 MM X 110MM

UNISER

Outdoor Series

POWERED BY **EVERLIGHT**[®]
SUPPORTED WITH TUV RHeinland Certified Driver



H 65MM

DIA 92MM

Model	Power	CCT	IP Rating	Body Colour	Surge Protection
UHLS-OD 1745	12W	3000	IP65	BK	470V

UNISER

Outdoor Series

POWERED BY **EVERLIGHT**®

SUPPORTED WITH TUV RHeinland Certified Driver



Model	Power	CCT	IP Rating	Body Colour	Surge Protection
UHLS-OD 1755	12W	3000	IP65	BK	470V

UNISER

Outdoor Series

POWERED BY CREE 



Model	Power	IP Rating	Body Colour
UHLS-14SF COB IP54	14W	IP54	PKW/BK

UNISER

Outdoor Series

POWERED BY **CREE** ⇄




Model	Power	IP Rating	Body Colour
UHLS-14SF SQ IP54	14W	IP54	PKW/BK

Outdoor Series

UNISER

POWERED BY CREE 



Model	Power	Luminous Flux	Colour Temp	Emitting Angle	Ra	SDCM
UHLS-OD-21SF COB	21W	1789 lm	3000K	46°	≥80	<4

UNISER

Surface Light

POWERED BY CREE

DRIVEN BY EAGLERISE



Model	Wattage	CCT	Beam Angle	CRI	IP Rating	Body Color	Material
UHLS-OD-07 SF 7414	07W	3K/4K	38°	80	IP65	BK	ALUMINIUM
UHLS-OD-14 SF 7414	14W	3K/4K	38°	80	IP65	BK	ALUMINIUM
UHLS-OD-21 SF 7414	21W	3K/4K	38°	80	IP65	BK	ALUMINIUM

UNISER


Outdoor Series



Model	Power	IP Rating	Body Colour
UHLS-OD 222	2W	IP65	BK

UNISER

Outdoor Series




Model	Power	IP Rating	Body Colour
UHLS-OD 2121	4W	IP65	BK

UNISER

Outdoor Series

POWERED BY **CREE** ⇄



Model	Power	IP Rating	Body
UHLS-OD 3199/4	4W	IP 65	Sandy BK

UNISER

Outdoor Series




Model	Power	CCT	Body Colour	IP Rating
UHLS-OD-4WAY	4x3W	3000	Sand BK	IP65

Outdoor Series

UNISER

POWERED BY CREE




100 MM

Model	Wattage	IP Rating	Body Colour	Dimensions
UHLS-OD 5 WAY	5W	IP65	BK	DIA - 100mm

UNISER


Outdoor Series



Model	Power	IP Rating	Body
UHLS-OD 444	4W	IP65	AL FINISH

UNISER

Outdoor Series




Model	Wattage	CCT	IP Rating	Body Colour
UHLS-OD 3199-6	6W	3000K	IP65	BK

UNISER

Outdoor Series

POWERED BY **CREE** 



Model	Power	IP Rating	Body Colour
UHLS-OD 1019	12W	IP65	PKW/BK

UNISER

Outdoor Series



Model	Power	IP Rating	Body Colour
UHLS-OD 1414	7W	IP54	BK

Outdoor Series

UNISER

POWERED BY  EDISON



Model	Power	Colour Temp	Body Colour	IP Rating	Chip
UHLS-OD-786UP	3W	3000K	Matte Black	65	EDISON

UNISER

Outdoor Series




Model	Power	Colour Temp	Body Colour	IP Rating	Chip
UHLS-OD-786 2x3	2x3W	3000K	Matte Black	65	EPISTAR

UNISER

Outdoor Series

POWERED BY  EDISON



Model	Power	Colour Temp	Body Colour	IP Rating	Chip
UHLS-OD-2711	2x5W	3000K	Matte Black	65	EDISON

UNISER

Outdoor Series



Model	Power	IP Rating	Body Colour
UHLS-OD 111 MOV 7W		IP65	BK

UNISER

Outdoor Series

POWERED BY  EDISON



Model	Power	Colour Temp	Body Colour	IP Rating	Chip
UHLS-OD-1005S	2x3W	3000K	Matte Black	65	EDISON

Outdoor Series

UNISER

POWERED BY  EDISON




Model	Power	Colour Temp	Body Colour	IP Rating	Chip
UHLS-OD-6266L	2x4W	3000K	Matte Black	65	EDISON

UNISER

POWERED BY EVERLIGHT®

Outdoor Series



Model	Wattage	IP Rating	Body Colour	CCT	Beam Angle
UHLS-OD 5381	9W	IP 54	BK	3K	110°

UNISER

Outdoor Series

POWERED BY  EDISON



Model	Power	Colour Temp	Body Colour	IP Rating	Chip
UHLS-OD-1006	2x4W	3000K	Matte Black	65	EDISON

UNISER

Outdoor Series

POWERED BY  EDISON



Model	Power	Colour Temp	Body Colour	IP Rating	Chip
UHLS-OD-1002	10W	3000K	Matte Black	65	EDISON

UNISER

Outdoor Series



Model	Power	IP Rating	Body
UHLS-OD 2004	10W	IP 65	Sandy BK

UNISER



Outdoor Series



Model	Power	IP Rating	Body
UHLS-OD 322B	6W	IP 65	Sandy BK

UNISER

Outdoor Series




Model	Power	IP Rating	Body
UHLS-OD 2005	10W	IP 65	Sandy BK

Outdoor Series

UNISER

POWERED BY **CREE** 




Model	Power	Luminous Flux	Colour Temp	Emitting Angle	Ra	SDCM
UHLS-OD-1861	4W	249 lm	3000K	25°	≥80	<6


UNISER

Outdoor Series

POWERED BY CREE



3W



6W





Model	Wattage	CCT	IP Rating	PF	CRI	Body Color	Material
UHLS-OD 773	03W	3000K	IP54	> 0.9	80	BK+GOLD	ALUMINIUM
UHLS-OD 776	06W	3000K	IP54	> 0.9	80	BK+GOLD	ALUMINIUM

UNISER

Recessed Series

POWERED BY  EDISON



Model	Wattage	CCT	Body Color	IP Rating	Chip
UHLS-OD-6283	2X3W	3000K	Matte Black	65	EDISON

UNISER

Outdoor Light



Model	Wattage	CCT	Body Colour	IP Rating
UHLS-OD 495/1X4	4W	3000K	BK	IP65
UHLS-OD 495/2X4	8W	3000K	BK	IP65

UNISER

Outdoor Series



COLOURS :



Model	Wattage	IP Rating	Body Colour
UHLS-259 UPDOWN	2x5W	IP 65	BK
UHLS-259 UPDOWN	2x9W	IP 65	BK

UNISER

Outdoor Series



Model	Power	CCT	Body Colour
UHLS-OD 888	8W	3K/4K/6K	BK

Outdoor Series

UNISER

POWERED BY  EDISON




Model	Power	Colour Temp	Body Colour	IP Rating	Chip
UHLS-OD-6268	7W	3000K	Matte Black	65	EDISON

Outdoor Series

UNISER

POWERED BY EVERLIGHT®





Model	Wattage	IP Rating	Body Colour	CCT
UHLS-OD 1861	7W	IP 54	BK	3K

Outdoor Series

UNISER

POWERED BY CREE 




Model	Power	Luminous Flux	Colour Temp	Emitting Angle	Ra	SDCM
UHLS-OD-1901	7W	404 lm	3000K	111°	≥80	<5

Outdoor Series

UNISER

POWERED BY CREE 




Model	Power	Luminous Flux	Colour Temp	Emitting Angle	Ra	SDCM
UHLS-OD-2211	14W	337 lm	3000K	99°	≥80	<4

Outdoor Series

UNISER

POWERED BY CREE 



Model	Power	Luminous Flux	Colour Temp	Emitting Angle	Ra	SDCM
UHLS-OD-2212	7W	162 lm	3000K	58°	≥80	<4

Outdoor Series

UNISER

POWERED BY CREE



Model	Power	Luminous Flux	Colour Temp	Emitting Angle	Ra	SDCM
UHLS-OD-07-2042	7W	327 lm	3000K	26°	≥80	<6



PRODUCT SPECIFICATIONS

Product Type : Outdoor Series

Product Name : Outdoor Pillar Highlighter

Product Code : UHLS-04-12-18-OD-PL

Wattage : 04W / 12W / 18W

CCT : 3000K

Body Color : Black

Input Voltage : 185-265V

PF : >0.9

IP Rating : IP65

CRI : 80

THD : <15

Operating Temperature: -10°C to +60°C

Material : Aluminium

Beam Angle : 8°


Lumens : 440LM

LED : Osram / CREE / Bridgelux

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES



UNISER


Outdoor Series



Model	Wattage	CCT	IP Rating	Holder	Body Color	Material
UHLS-BL-744	12W	3K/4k/6k	IP65	E27	BK	ALUMINIUM

UNISER


Outdoor Series



Model	Wattage	CCT	IP Rating	Holder	Body Color	Material
UHLS-WL 744	12W	3K/4k/6k	IP65	E27	BK	ALUMINIUM

UNISER

Outdoor Series



Model	Wattage	CCT	IP Rating	Holder	Body Color	Material
UHLS-GL-744	12W	3K/4k/6k	IP65	E27	BK	ALUMINIUM

UNISER

Flood Light



Model	Power	Surge Protection	IP Rating	Body Colour
UHLS-35 FLOOD LIGHT	35W	4KV	IP65	WH/WW
UHLS-60 FLOOD LIGHT	60W	4KV	IP65	WH/WW
UHLS-120 FLOOD LIGHT	120W	4KV	IP65	WH/WW
UHLS-180 FLOOD LIGHT	180W	4KV	IP65	WH/WW
UHLS-240 FLOOD LIGHT	240W	4KV	IP65	WH/WW

UNISER


Street Light





Model	Power	CCT	Surge Protection	IP Rating
UHLS-35 Street Light	35W	3K/6K	- 4KV	IP 65
UHLS-60 Street Light	60W	3K/6K	- 4KV	IP 65

UNISER



Floodlight Series





25W




50W



100W




150W



Model	Power	CCT	PF	Body Colour
US-FLD-25	25W	WW, DW, CW	> 0.9	BLACK
US-FLD-50	50W	WW, DW, CW	> 0.9	BLACK
US-FLD-100	100W	WW, DW, CW	> 0.9	BLACK
US-FLD-150	150W	WW, DW, CW	> 0.9	BLACK

UNISER



Streetlight Series



Model	Power	CCT	PF	Body Colour
US-SL-BOAT-20	20W	WW, DW, CW	> 0.9	BLACK
US-SL-BOAT-30	30W	WW, DW, CW	> 0.9	BLACK
US-SL-BOAT-60	60W	WW, DW, CW	> 0.9	BLACK

UNISER


Streetlight Series



Directly goes in to Street Light Pipe Entry


POLE BRACKET

Suitable for Max. $\varnothing 32\text{mm}$ bore Pipe - $\varnothing 43\text{mm}$ OD ($\varnothing 1.25''$ G.I. Pipe)



Suitable for Max. $\varnothing 32\text{mm}$ bore Pipe - $\varnothing 43\text{mm}$ OD ($\varnothing 1.25''$ G.I. Pipe)


ROTATING ARM



WALL BRACKET_1

Directly goes in to Street Light Pipe Entry

ROTATING ARM



WALL BRACKET_2

Model	Power	CCT	PF	Body Colour
US-SL-BOAT-POLE-BRACKET	-	-	> 0.9	BLACK
US-SL-BOAT-WALL-BRACKET_1	-	-	> 0.9	BLACK
US-SL-BOAT-WALL-BRACKET_2	-	-	> 0.9	BLACK

THINK LED, THINK UNISER

UNISER

INDUSTRIES PVT. LTD.


Solar Power | LED Lighting | Automation

To place your order, please contact us

HELPDESK DETAILS:

414, Lotus House, 33-A, V Thackersey Marg, New Marine Lines,
Mumbai-400020, India

+91-22-22000515 | 35114465  +91 9867625686

 projects@uniserledlights.com | support@uniserledlights.com