


UNISER
INDUSTRIES PVT. LTD.

HANGING SERIES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS- 07- LGHL

Operating Temperature : -10°C to +60°C

Wattage : 07W

Material : Aluminium

CCT : 3000K / 4000K / 6000k

Beam Angle : 38°

Outer Body Color : White / Grey


LED : CREE / Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS- 07- 210318

Operating Temperature : -10°C to +60°C

Wattage : 07W

Material : GYPSUM

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : White / Grey


LED : CREE / Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS- 07- 210319

Operating Temperature : -10°C to +60°C

Wattage : 07W

Material : GYPSUM

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : White / Grey


LED : CREE / Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS- 07- 210320

Operating Temperature : -10°C to +60°C

Wattage : 07W

Material : GYPSUM

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black / White


LED : CREE / Bridgelux




Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS- 07- 210321

Operating Temperature : -10°C to +60°C

Wattage : 07W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Rose Gold / Black


LED : CREE / Bridgelux




Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS- 07- 210322

Operating Temperature : -10°C to +60°C

Wattage : 07W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Rose Gold / Black


LED : CREE / Bridgelux

Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS- 07- 210338

Operating Temperature : -10°C to +60°C

Wattage : 07W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Rose Gold


LED : CREE / Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS- 07- 210386

Operating Temperature : -10°C to +60°C

Wattage : 07W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black / Coffee


LED : CREE / Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

Product Name : Drop Light

Product Code : UHLS- 09- LGIL

Wattage : 09W

CCT : 3000K / 4000K / 6000K

Outer Body Color : White/ Black

Input Voltage : 185-265V

CRI : 80

THD : <15

Operating Temperature : -10°C to +60°C

Material : Aluminium


Beam Angle : 38°




LED : CREE / Bridgelux

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS- 09- 210259

Operating Temperature : -10°C to +60°C

Wattage : 09W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black / Coffee


LED : CREE / Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

Product Name : Drop Light

Product Code : UHLS- 09- 210261

Wattage : 09W

CCT : 3000K / 4000K / 6000K

Outer Body Color : Black / Coffee

Input Voltage : 185-265V

CRI : 80

THD : <15

Operating Temperature : -10°C to +60°C

Material : Aluminium

Beam Angle : 38°


LED : CREE / Bridgelux

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

Product Name : Drop Light

Product Code : UHLS- 09- 210265

Wattage : 09W

CCT : 3000K / 4000K / 6000K

Outer Body Color : Black / Coffee

Input Voltage : 185-265V

CRI : 80

THD : <15

Operating Temperature : -10°C to +60°C

Material : Aluminium


Beam Angle : 38°



LED : CREE / Bridgelux

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS- 09- 210267

Operating Temperature : -10°C to +60°C

Wattage : 09W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black / Coffee


LED : CREE / Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS- 09- 210263

Operating Temperature : -10°C to +60°C

Wattage : 09W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 38°

Outer Body Color : Black / Coffee


LED : CREE / Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS- 14- LGIL

Operating Temperature : -10°C to +60°C

Wattage : 14W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 24°

Outer Body Color : White / Black


LED : CREE / Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS-07PL-047-A

Operating Temperature : -10°C to +60°C

Wattage : 07W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 24°

Outer Body Color : Gold / Black


LED : CREE / Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS-07PL-047-B

Operating Temperature : -10°C to +60°C

Wattage : 07W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 24°

Outer Body Color : Gold / Black


LED : CREE / Bridgelux



Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS-07PL-047-C

Operating Temperature : -10°C to +60°C

Wattage : 07W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 24°

Outer Body Color : Gold / Black


LED : CREE / Bridgelux



Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS-42-LRHL

Operating Temperature : -10°C to +60°C

Wattage : 42W

Material : Aluminium

CCT : 4000K / 6000K

Beam Angle : 120°

Outer Body Color : Black / White


LED : CREE / Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS-TRIANGLE-300

Operating Temperature : -10°C to +60°C

Wattage : 54W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 120°

Outer Body Color : Black / White


LED : CREE / Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : 18-UHLS-HEXA-300_600

Operating Temperature : -10°C to +60°C

Wattage : 54W / 108W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 120°

Outer Body Color : White / Black


LED : CREE / Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS-ZIGZAG-300_600

Operating Temperature : -10°C to +60°C

Wattage : 54W / 108W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 120°

Outer Body Color : White / Black


LED : CREE / Bridgelux



Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS-Y-600_1000-LINEAR

Operating Temperature : -10°C to +60°C

Wattage : 54W / 108W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 120°

Outer Body Color : White / Black


LED : CREE / Bridgelux



Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS-SQUARE-300_600

Operating Temperature : -10°C to +60°C

Wattage : 36W / 72W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 120°

Outer Body Color : White / Black


LED : CREE / Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS-DNUT-300_450_600_900

Operating Temperature : -10°C to +60°C

Wattage : 24W / 30W / 36W / 72W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 120°

Outer Body Color : White / Black / Rose Gold / Brass Gold


LED : CREE / Bridgelux





Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

Product Name : Drop Light

Product Code : UHLS-DRUM-300_450_600_900

Wattage : 24W / 30W / 36W / 72W

CCT : 3000K / 4000K / 6000K

Outer Body Color : White / Black / Rose Gold / Brass Gold

Input Voltage : 185-265V

CRI : 80

THD : <15


Operating Temperature : -10°C to +60°C

Material : Aluminium

Beam Angle : 120°

LED : CREE / Bridgelux

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES




Control by Remote, Keypad, APP






Voice Assistance



Scene Control by Remote, Keypad, APP



CCT Tunable



PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS-42LR-747

Operating Temperature : -10°C to +60°C

Wattage : 42W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 120°

Outer Body Color : Rose Gold


LED : CREE / Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 90

Product Name : Drop Light

THD : <15

Product Code : UHLS-56-LRHL

Operating Temperature : -10°C to +60°C

Wattage : 56W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 120°

Outer Body Color : Black / White / Wooden


LED : CREE / Bridgelux




Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

Product Name : Drop Light

Product Code : UHLS-ROUND0-3660_7260

Wattage : 36W / 72W

CCT : 3000K / 4000K / 6000K

Outer Body Color : White/ Black

Input Voltage : 185-265V

CRI : 80

THD : <15

Operating Temperature : -10°C to +60°C

Material : Aluminium


Beam Angle : 120°




LED : CREE / Bridgelux

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS-ROL-600_800_1000_1200

Operating Temperature : -10°C to +60°C

Wattage : 30W / 40W / 50W / 60W

Material : Aluminium

CCT : 3000K / 4000K / 6000K

Beam Angle : 24°

Outer Body Color : Black / Gold


LED : CREE / Bridgelux



Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS-42_84-GRL-A

Operating Temperature : -10°C to +60°C

Wattage : 42W / 84W

Material : Aluminium

CCT : 3000K / 4000K /

Beam Angle : 120°

Outer Body Color : White / Black


LED : Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS-42_84-GRL-B

Operating Temperature : -10°C to +60°C

Wattage : 42W / 84W

Material : Aluminium

CCT : 3000K / 4000K /

Beam Angle : 120°

Outer Body Color : White / Black


LED : Bridgelux



Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS-42_84-GRL-C

Operating Temperature : -10°C to +60°C

Wattage : 42W / 84W

Material : Aluminium

CCT : 3000K / 4000K /

Beam Angle : 120°

Outer Body Color : White / Black


LED : Bridgelux


Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES





PRODUCT SPECIFICATIONS

Product Type : Hanging / Suspended Light

CRI : 80

Product Name : Drop Light

THD : <15

Product Code : UHLS-42_84-GRL-D

Operating Temperature : -10°C to +60°C

Wattage : 42W / 84W

Material : Aluminium

CCT : 3000K / 4000K /

Beam Angle : 120°

Outer Body Color : White / Black


LED : Bridgelux

Input Voltage : 185-265V

DRIVER OPTIONS



SPECIAL ADDITIONAL FEATURES



THINK LED, THINK UNISER

UNISER

INDUSTRIES PVT. LTD.


Solar Power | LED Lighting | Automation

To Place Your Order, Please Contact Us

HELPDESK DETAILS:

414, Lotus House, 33-A, V Thackersey Marg, New Marine Lines,
Mumbai-400020, India

 +91-22-22000515 | 35114465  +91 9867625686

 projects@uniserledlights.com | support@uniserledlights.com